Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:00:00,0 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:08,529

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
37,5bpm
FOTO-Rf

100µV

00:00:08,529 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:17,059

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:00:17,059 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:25,59

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:00:25,59 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:34,119

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:00:34,119 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:42,65

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:00:42,65 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:51,18

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:00:51,18 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:00:59,7

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:00:59,7 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:08,239

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
52,2bpm
FOTO-Rf

100µV

00:01:08,239 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:16,769

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:01:16,769 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:25,3

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

17,3bpm

100µV

00:01:25,3 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:33,83

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

151,9bpm

100µV

00:01:33,83 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:42,36

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:01:42,36 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:50,889

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
11,6bpm
FOTO-Rf

100µV

00:01:50,889 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:01:59,419

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

33,8bpm

FOTO-Rf

100µV

00:01:59,419 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:02:07,949

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
14,7bpm
FOTO-Rf

100µV

00:02:07,949 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:02:16,479

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:02:16,479 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:02:25,0

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:02:25,0 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:02:33,539

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:02:33,539 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:02:42,07

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:02:42,07 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:02:50,6

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

Olhos Abertos

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:02:50,6

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:02:59,13

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:02:59,13 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:03:07,66

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

97,6bpm

100µV

00:03:07,66 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:03:16,19

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:03:16,19 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:03:24,72

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

10,3bpm

FOTO-Rf

100µV

00:03:24,72

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:03:33,25

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
17,2bpm
FOTO-Rf

100µV

00:03:33,25 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:03:41,779

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

9,0bpm

100µV

00:03:41,779 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:03:50,3

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:03:50,3 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:03:58,839

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:03:58,839 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:07,369

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:04:07,369 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:15,899

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
23,2bpm
FOTO-Rf

100µV

00:04:15,899 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:24,429

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:04:24,429 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:32,959

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:04:32,959 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:41,489

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:04:41,489 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:50,019

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:04:50,019 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:04:58,549

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
115,4bpm
FOTO-Rf

100µV

00:04:58,549 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:07,079

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

25,2bpm

FOTO-Rf

100µV

00:05:07,079 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:15,6

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:05:15,6 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:24,14

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:05:24,14 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:32,67

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:05:32,67 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:41,2

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:05:41,2 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:49,73

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

7,9bpm

FOTO-Rf

100µV

00:05:49,73 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:05:58,26

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:05:58,26 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:06,79

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:06:06,79 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:15,32

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:06:15,32 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:23,85

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:06:23,85 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:32,38

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:06:32,38 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:40,91

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:06:40,91 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:49,44

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:06:49,44 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:06:57,97

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:06:57,97 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:07:06,5

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

Olhos Abertos

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:07:06,5

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:07:15,029

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

28,2bpm

100µV

00:07:15,029 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:07:23,559

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:07:23,559 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:07:32,089

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
9,9bpm
FOTO-Rf

100µV

00:07:32,089 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:07:40,619

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:07:40,619 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:07:49,149

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

21,3bpm

FOTO-Rf

100µV

00:07:49,149

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:07:57,679

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:07:57,679 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:06,2

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:08:06,2 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:14,739

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:08:14,739 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:23,269

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:08:23,269 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:31,799

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:08:31,799 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:40,33

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:08:40,33 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:48,859

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:08:48,859 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:08:57,39

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:08:57,39 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:05,919

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:09:05,919 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:14,45

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:09:14,45 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:22,979

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
69,4bpm
FOTO-Rf

100µV

00:09:22,979 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:31,51

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:09:31,51 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:40,039

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:09:40,039 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:48,57

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:09:48,57 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:09:57,099

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:09:57,099 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:05,63

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:10:05,63 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:14,159

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:10:14,159 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:22,69

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:10:22,69 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:31,219

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:10:31,219 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:39,75

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

11,5bpm

FOTO-Rf

100µV

00:10:39,75 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:48,28

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
15,3bpm
FOTO-Rf

100µV

00:10:48,28 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:10:56,8

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

Olhos Abertos

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

70,2bpm

FOTO-Rf

100µV

00:10:56,8

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:11:05,34

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:11:05,34 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:11:13,869

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:11:13,869 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:11:22,4

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
29,2bpm
FOTO-Rf

100µV

00:11:22,4 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:11:30,929

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:11:30,929 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:11:39,46

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Olhos Abertos

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:11:39,46

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:11:47,989

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
16,9bpm
FOTO-Rf

100µV

00:11:47,989 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:11:56,52

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:11:56,52 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:05,049

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:12:05,049 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:13,58

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

14,2bpm

100µV

00:12:13,58 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:22,1

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

24,3bpm

100µV

00:12:22,1 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:30,64

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:12:30,64 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:39,169

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:12:39,169 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:47,7

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:12:47,7 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:12:56,229

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:12:56,229 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:04,76

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:13:04,76 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:13,289

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:13:13,289 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:21,82

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:13:21,82 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:30,349

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:13:30,349 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:38,88

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:13:38,88 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:47,4

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
60,0bpm
FOTO-Rf

100µV

00:13:47,4 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:13:55,94

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
133,3bpm
FOTO-Rf

100µV

00:13:55,94 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:14:04,469

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:14:04,469 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:14:13,0

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:14:13,0 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:14:21,53

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

Repouso

0000000000estado não l

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

30,8bpm

FOTO-Rf

100µV

00:14:21,53

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:14:30,059

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:14:30,059 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:14:38,59
Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:14:38,59 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:14:47,119

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

00:14:47,119 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:14:55,65

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:14:55,65 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:04,179

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
11,2bpm
FOTO-Rf

100µV

00:15:04,179 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:12,71

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

35,3bpm

FOTO-Rf

100µV

00:15:12,71 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:21,239

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

34,3bpm

FOTO-Rf

100µV

00:15:21,239 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:29,77

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:15:29,77 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:38,299

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:15:38,299 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:46,83

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:15:46,83 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:15:55,359

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:15:55,359 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:03,89
Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:16:03,89 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:12,419

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

20,8bpm

FOTO-Rf

100µV

00:16:12,419 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:20,95

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:16:20,95 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:29,479

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:16:29,479 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:38,01

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
30,1bpm
FOTO-Rf

100µV

00:16:38,01 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:46,539

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:16:46,539 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:16:55,07

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:16:55,07 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:17:03,599

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:17:03,599 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:17:12,13

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:17:12,13 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:17:20,66

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

0000000000estado não inicializado

3

F7-Rf

T3-Rf

T5-Rf

Fp1-Rf

F3-Rf

C3-Rf

P3-Rf

O1-Rf

F8-Rf

T4-Rf

T6-Rf

Fp2-Rf

F4-Rf

C4-Rf

P4-Rf

O2-Rf

Fz-Rf

Cz-Rf

Pz-Rf

Oz-Rf

ECG1-Rf

0,0bpm

FOTO-Rf

100µV

00:17:20,66

MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025)

00:17:29,189

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
14,2bpm
FOTO-Rf

100µV

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
FOTO-Rf

0,0bpm

100µV

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
26,0bpm
FOTO-Rf

100µV

00:18:28,9 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:18:37,43

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm

F7-Rf
T3-Rf
T5-Rf
Fp1-Rf
F3-Rf
C3-Rf
P3-Rf
O1-Rf
F8-Rf
T4-Rf
T6-Rf
Fp2-Rf
F4-Rf
C4-Rf
P4-Rf
O2-Rf
Fz-Rf
Cz-Rf
Pz-Rf
Oz-Rf
ECG1-Rf
0,0bpm
FOTO-Rf

100µV

00:18:37,43 MARIA DAS GRAÇAS PESSANHA(71 a e 10 m - F), Ex: 00119-01 (24/06/2025) 00:18:45,959

Montagem: Padrão; Velocidade : 30,00mm/s; Amplitude - EEG: 100,00µV/cm; EKG: 1000,00µV/cm