

[Aqui vai o nome do Medico/Clinica]





FOTO-Rf






FOTO-Rf

100µV




FOTO-Rf

[Aqui vai o nome do Medico/Clinica]




FOTO-Rf



00:05:15,845
Montagem: Longit1; Velocidade : 35,00mm/s; Amplitude - EEG: 100,00µV/cm

GILSON DA SILVA SOUZA (Doc.: 147.238.066-52 - 24 a e 9 m - M), Ex: 00007-01 (19/07/2024)

00:05:22,869




FOTO-RF



00:07:49,859

Montagem: Longit1; Velocidade : 35,00mm/s; Amplitude - EEG: 100,00µV/cm

GILSON DA SILVA SOUZA (Doc.: 147.238.066-52 - 24 a e 9 m - M), Ex: 00007-01 (19/07/2024)

00:07:56,885

[Aqui vai o nome do Medico/Clinica]





FOTO-Rf



[Aqui vai o nome do Medico/Clinica]





FOTO-Rf



[Aqui vai o nome do Medico/Clinica]





FOTO-RF



[Aqui vai o nome do Medico/Clinica]




FOTO-Rf

[Aqui vai o nome do Medico/Clinica]




FOTO-Rf

[Aqui vai o nome do Medico/Clinica]





FOTO-Rf



[Aqui vai o nome do Medico/Clinica]




FOTO-Rf

