



09:39:01 Sono induzido 09:39:02 Sono induzido 09:39:03 Sono induzido 09:39:04 Sono induzido 09:39:05 Sono induzido 09:39:06 Sono induzido 09:39:07 Sono induzido 09:39:08 Sono induzido

Época: 1 - Horário: 09:39:02 - Estágio: 0 (8 seg.)





09:41:01
Sono induzido

09:41:02
Sono induzido

09:41:03
Sono induzido

09:41:04
Sono induzido

09:41:05
Sono induzido

09:41:06
Sono induzido

09:41:07
Sono induzido

09:41:08
Sono induzido

Época: 5 - Horário: 09:41:02 - Estágio: 0 (8 seg.)

FP1 - CZ

FP2 - CZ

F3 - CZ

F4 - CZ

C3 - CZ

C4 - CZ

F7 - CZ

F8 - CZ

T3 - CZ

T4 - CZ

T5 - CZ


T6 - CZ


P3 - CZ

P4 - CZ


O1 - CZ


O2 - CZ





09:42:30	09:42:31	09:42:32	09:42:33	09:42:34	09:42:35	09:42:36	09:42:37
Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido
Época: 8 - Horário: 09:42:31 - Estágio: 0 (8 seg.)							





09:45:00
Sono induzido

09:45:01
Sono induzido

09:45:02
Sono induzido

09:45:03
Sono induzido


09:45:04
Sono induzido


09:45:05
Sono induzido

09:45:06
Sono induzido

09:45:07
Sono induzido


Época: 13 - Horário: 09:45:01 - Estágio: 0 (8 seg.)






09:46:30	09:46:31	09:46:32	09:46:33	09:46:34	09:46:35	09:46:36	09:46:37
Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido	Sono induzido


Época: 16 - Horário: 09:46:31 - Estágio: 0 (8 seg.)







09:46:52 Sono induzido 09:46:53 Sono induzido 09:46:54 Sono induzido 09:46:55 Sono induzido 09:46:56 Sono induzido 09:46:57 Sono induzido 09:46:58 Sono induzido 09:46:59 Sono induzido

Época: 16 - Horário: 09:46:53 - Estágio: 0 (8 seg.)







Ep1			
	F.Dom.	µV	µV %
D	1,5	165,6	37,4
T	4,0	72,5	16,4
A	8,0	48,2	10,9
B1	13,0	41,5	9,4
B2	22,0	114,9	25,9

Ep2			
	F.Dom.	µV	µV %
D	1,0	104,2	36,5
T	4,0	39,0	13,7
A	8,0	22,9	8,0
B1	13,0	21,5	7,5
B2	25,0	97,6	34,2

F7			
	F.Dom.	µV	µV %
D	,5	224,5	48,3
T	4,0	64,7	13,9
A	8,0	36,3	7,6
B1	16,0	30,2	6,5
B2	22,0	109,4	23,5

F3			
	F.Dom.	µV	µV %
D	1,0	232,0	48,4
T	4,0	49,6	10,4
A	8,0	29,1	6,1
B1	14,0	29,5	5,9
B2	22,0	140,1	29,2

Fz			
	F.Dom.	µV	µV %
D	1,0	147,6	37,6
T	5,0	50,3	12,9
A	8,0	29,9	7,6
B1	13,0	28,8	7,4
B2	24,0	134,1	34,3

F4			
	F.Dom.	µV	µV %
D	1,0	147,9	39,0
T	4,0	46,7	12,3
A	8,0	28,0	7,4
B1	18,0	24,9	6,6
B2	22,5	132,2	34,6

F8			
	F.Dom.	µV	µV %
D	1,0	135,2	39,8
T	4,0	47,7	14,1
A	8,0	25,1	7,4
B1	17,5	21,9	6,5
B2	22,5	109,4	32,2

T3			
	F.Dom.	µV	µV %
D	,5	1.460,6	61,3
T	4,0	309,2	13,0
A	8,0	187,5	7,9
B1	16,0	83,9	3,5
B2	21,5	342,3	14,4

C3			
	F.Dom.	µV	µV %
D	,5	243,1	62,5
T	4,0	49,7	10,7
A	8,0	25,3	5,5
B1	13,0	24,6	5,3
B2	24,0	120,1	25,9

Cz			
	F.Dom.	µV	µV %
D	1,0	129,0	37,2
T	4,0	50,0	14,4
A	8,0	29,9	8,6
B1	15,5	25,0	7,2
B2	22,0	112,9	32,6

C4			
	F.Dom.	µV	µV %
D	,5	166,6	45,5
T	4,0	45,8	11,1
A	8,0	27,2	6,6
B1	16,0	24,6	6,0
B2	22,5	126,4	30,8

T4			
	F.Dom.	µV	µV %
D	1,0	158,3	45,0
T	4,0	36,5	10,9
A	8,0	21,9	6,2
B1	17,5	21,3	6,1
B2	22,0	111,9	31,8

T5			
	F.Dom.	µV	µV %
D	,5	924,7	67,8
T	4,0	166,6	13,7
A	8,0	88,7	6,5
B1	14,5	50,9	3,7
B2	24,5	112,0	8,2

P3			
	F.Dom.	µV	µV %
D	,5	275,2	57,0
T	4,0	56,0	11,6
A	8,0	24,1	5,0
B1	14,0	21,6	4,5
B2	23,5	105,7	21,9

Pz			
	F.Dom.	µV	µV %
D	1,0	138,3	41,0
T	4,0	48,3	14,3
A	8,0	26,1	7,7
B1	16,0	20,1	5,9
B2	25,0	104,8	31,0

P4			
	F.Dom.	µV	µV %
D	,5	166,6	48,6
T	4,0	42,6	11,1
A	8,0	24,7	6,4
B1	16,0	22,6	5,9
B2	22,0	107,7	28,0

T6			
	F.Dom.	µV	µV %
D	,5	196,6	52,3
T	4,0	40,5	10,8
A	8,0	23,0	6,1
B1	17,0	19,4	5,2
B2	22,0	96,6	25,7

O1			
	F.Dom.	µV	µV %
D	1,0	299,8	57,0
T	4,0	82,6	16,2
A	8,0	32,8	6,4
B1	13,0	20,7	4,1
B2	24,5	82,6	16,2

Oz			
	F.Dom.	µV	µV %
D	1,0	227,2	55,5
T	4,0	57,4	14,0
A	8,0	26,9	6,6
B1	13,0	20,3	5,0
B2	24,5	77,6	19,0

O2			
	F.Dom.	µV	µV %
D	1,0	252,2	57,0
T	5,0	56,7	12,8
A	8,0	26,1	5,9
B1	13,0	20,4	4,6
B2	24,0	86,7	19,6

NEUROCLINIC

Informe o nome do médico

	Delta			Theta			Alfa			Beta 1			Beta 2		
	F.Dom.	µV	µV %	F.Dom.	µV	µV %	F.Dom.	µV	µV %	F.Dom.	µV	µV %	F.Dom.	µV	µV %
FP1	1,5	165,6	37,4	4,0	72,5	16,4	8,0	48,2	10,9	13,0	41,5	9,4	22,0	114,9	25,9
FP2	1,0	104,2	36,5	4,0	39,0	13,7	8,0	22,9	8,0	13,0	21,5	7,5	25,0	97,6	34,2
F7	,5	224,5	48,3	4,0	64,7	13,9	8,0	36,3	7,8	16,0	30,2	6,5	22,0	109,4	23,5
F3	1,0	232,0	48,4	4,0	49,6	10,4	8,0	29,1	6,1	14,0	28,5	5,9	22,0	140,1	29,2
FZ	1,0	147,6	37,8	5,0	50,3	12,9	8,0	29,9	7,6	13,0	28,8	7,4	24,0	134,1	34,3
F4	1,0	147,9	39,0	4,0	46,7	12,3	8,0	28,0	7,4	18,0	24,9	6,6	22,5	132,2	34,8
F8	1,0	135,2	39,8	4,0	47,7	14,1	8,0	25,1	7,4	17,5	21,9	6,5	22,5	109,4	32,2
T3	,5	1.460,6	61,3	4,0	309,2	13,0	8,0	187,5	7,9	18,0	83,9	3,5	21,5	342,3	14,4
C3	,5	243,1	52,5	4,0	49,7	10,7	8,0	25,3	5,5	13,0	24,6	5,3	24,0	120,1	25,9
CZ	1,0	129,0	37,2	4,0	50,0	14,4	8,0	29,9	8,6	15,5	25,0	7,2	22,0	112,9	32,6
C4	,5	186,8	45,5	4,0	45,8	11,1	8,0	27,2	6,6	18,0	24,6	6,0	22,5	126,4	30,8
T4	1,0	158,3	45,0	4,0	38,5	10,9	8,0	21,9	6,2	17,5	21,3	6,1	22,0	111,9	31,8
T5	,5	924,7	67,8	4,0	186,6	13,7	8,0	88,7	6,5	14,5	50,9	3,7	24,5	112,0	8,2
P3	,5	275,2	57,0	4,0	56,0	11,6	8,0	24,1	5,0	14,0	21,6	4,5	23,5	105,7	21,9
PZ	1,0	138,3	41,0	4,0	48,3	14,3	8,0	26,1	7,7	18,0	20,1	5,9	25,0	104,8	31,0
P4	,5	186,6	48,6	4,0	42,6	11,1	8,0	24,7	6,4	18,0	22,6	5,9	22,0	107,7	28,0
T6	,5	196,8	52,3	4,0	40,5	10,8	8,0	23,0	6,1	17,0	19,4	5,2	22,0	96,6	25,7
O1	1,0	289,8	57,0	4,0	82,6	16,2	8,0	32,8	6,4	13,0	20,7	4,1	24,5	82,6	16,2
OZ	1,0	227,2	55,5	4,0	57,4	14,0	8,0	26,9	6,6	13,0	20,3	5,0	24,5	77,6	19,0
O2	1,0	252,2	57,0	5,0	56,7	12,8	8,0	26,1	5,9	13,0	20,4	4,6	24,0	86,7	19,6

	Delta			Theta			Alfa			Beta 1			Beta 2		
	F.Dom.	µV	µV %	F.Dom.	µV	µV %	F.Dom.	µV	µV %	F.Dom.	µV	µV %	F.Dom.	µV	µV %
FP1	1,5	165,6	37,4	4,0	72,5	16,4	8,0	48,2	10,9	13,0	41,5	9,4	22,0	114,9	25,9
FP2	1,0	104,2	36,5	4,0	39,0	13,7	8,0	22,9	8,0	13,0	21,5	7,5	25,0	97,6	34,2
F7	,5	224,5	48,3	4,0	64,7	13,9	8,0	36,3	7,8	16,0	30,2	6,5	22,0	109,4	23,5
F3	1,0	232,0	48,4	4,0	49,6	10,4	8,0	29,1	6,1	14,0	28,5	5,9	22,0	140,1	29,2
FZ	1,0	147,6	37,8	5,0	50,3	12,9	8,0	29,9	7,6	13,0	28,8	7,4	24,0	134,1	34,3
F4	1,0	147,9	39,0	4,0	46,7	12,3	8,0	28,0	7,4	18,0	24,9	6,6	22,5	132,2	34,8
F8	1,0	135,2	39,8	4,0	47,7	14,1	8,0	25,1	7,4	17,5	21,9	6,5	22,5	109,4	32,2
T3	,5	1.460,6	61,3	4,0	309,2	13,0	8,0	187,5	7,9	18,0	83,9	3,5	21,5	342,3	14,4
C3	,5	243,1	52,5	4,0	49,7	10,7	8,0	25,3	5,5	13,0	24,6	5,3	24,0	120,1	25,9
CZ	1,0	129,0	37,2	4,0	50,0	14,4	8,0	29,9	8,6	15,5	25,0	7,2	22,0	112,9	32,6
C4	,5	186,8	45,5	4,0	45,8	11,1	8,0	27,2	6,6	18,0	24,6	6,0	22,5	126,4	30,8
T4	1,0	158,3	45,0	4,0	38,5	10,9	8,0	21,9	6,2	17,5	21,3	6,1	22,0	111,9	31,8
T5	,5	924,7	67,8	4,0	186,6	13,7	8,0	88,7	6,5	14,5	50,9	3,7	24,5	112,0	8,2
P3	,5	275,2	57,0	4,0	56,0	11,6	8,0	24,1	5,0	14,0	21,6	4,5	23,5	105,7	21,9
PZ	1,0	138,3	41,0	4,0	48,3	14,3	8,0	26,1	7,7	18,0	20,1	5,9	25,0	104,8	31,0
P4	,5	186,6	48,6	4,0	42,6	11,1	8,0	24,7	6,4	18,0	22,6	5,9	22,0	107,7	28,0
T6	,5	196,8	52,3	4,0	40,5	10,8	8,0	23,0	6,1	17,0	19,4	5,2	22,0	96,6	25,7
O1	1,0	289,8	57,0	4,0	82,6	16,2	8,0	32,8	6,4	13,0	20,7	4,1	24,5	82,6	16,2
OZ	1,0	227,2	55,5	4,0	57,4	14,0	8,0	26,9	6,6	13,0	20,3	5,0	24,5	77,6	19,0
O2	1,0	252,2	57,0	5,0	56,7	12,8	8,0	26,1	5,9	13,0	20,4	4,6	24,0	86,7	19,6

Relação de modos de gravação e eventos

<u>Época</u>	<u>Horário</u>	<u>Duração</u>	<u>Descrição</u>
1	09:39:01	08:00	Sono induzido